

(19)



Europäisches Patentamt  
European Patent Office  
Office européen des brevets

(11)

Publication number:

**0 256 656  
A1**

(12)

## EUROPEAN PATENT APPLICATION

(21) Application number: 87306046.1

(22) Date of filing: 08.07.87

(51) Int. Cl. 4: A61K 7/50, A61K 7/08,  
C11D 1/10, C11D 1/37,  
C11D 1/28, C11D 1/94

(30) Priority: 11.07.86 US 884687

(43) Date of publication of application:  
24.02.88 Bulletin 88/08

(84) Designated Contracting States:  
AT BE CH DE FR GB GR IT LI LU NL SE

(71) Applicant: THE PROCTER & GAMBLE  
COMPANY  
One Procter & Gamble Plaza  
Cincinnati Ohio 45202(US)

(72) Inventor: Malle, Robert Joseph. Jr.  
6865 Esther Lane  
Cincinnati Ohio 45243(US)

(74) Representative: Brooks, Maxim Courtney et al.  
Procter & Gamble (NTC) Limited Whitley  
Road Longbenton  
Newcastle-upon-Tyne NE12 9TS(GB)

(54) A liquid detergent composition.

(57) Liquid detergent compositions which comprise a mixture of taurate and sarcosinate surfactants in combination with an auxiliary surfactant.

EP 0 256 656 A1

## A LIQUID DETERGENT COMPOSITION

### TECHNICAL FIELD

The present invention concerns liquid detergent compositions which are mild, provide a lather of aesthetically pleasing character, and comprise a particular mixture of surfactants.

### BACKGROUND OF THE INVENTION

Liquid detergent compositions, such as hand cleaners, shower or bath cleaners, and shampoos, are staple items of commerce in modern societies. They are used by consumers to remove soil from the hands, the body, and the hair. If such products are to find wide acceptance among consumers, they must be mild (i.e., they must not be harsh or irritating to the skin), they must clean effectively, and they must possess pleasing aesthetic attributes or characteristics. Among the more important aesthetic attributes is the character of lather produced by the composition during use, with lather of high volume and exceptional creaminess being particularly desirable.

A number of references disclose detergent compositions. For example, Japanese OPI 61-63198, published December 15, 1981, discloses mixtures of anionic sulfate surfactants and betaine surfactants. U.S. Patent 3,980,769 issued September 14, 1976, to Ghilardi et al., discloses detergent compositions containing a mixture of anionic and amphoteric surfactants. U.S. Patent 4,110,263 issued August 29, 1978 to Lindemann et al., also discloses detergent compositions containing anionic and amphoteric surfactants. U.S. Patent 4,310,433 issued January 12, 1982, to Stiros discloses an aqueous liquid detergent composition comprising saturated and unsaturated potassium soaps and free fatty acid. U.S. Patent 4,472,297 issued September 18, 1984 to Bolich, Jr. et al., discloses liquid detergents which are cosmetically attractive and which contain a hydroxyl propyl guar gum, an alcohol, a surfactant, water and an electrolyte as essential components. U.S. Patent 3,085,067 issued April 9, 1963 to Anderson discloses a sarcosinate-based detergent composition formulated from a combination of ingredients so selected and so proportioned that outstanding lathering and other characteristics are obtained.

Accordingly, it is an object of the present invention to provide a liquid detergent composition which is mild and which possesses exemplary lathering characteristics in use.

It is a further object of this invention to provide a liquid detergent composition comprising a mixture of a taurate surfactant and a sarcosinate surfactant in combination with an auxiliary surfactant.

### SUMMARY OF THE INVENTION

The present invention relates to liquid detergent compositions comprising at least one taurate surfactant, at least one sarcosinate surfactant, and an auxiliary surfactant. The ratio of the taurate to the sarcosinate surfactant is from about 1:3 to about 3:1. The total surfactant present is from about 2% to about 40% of the composition, while the auxiliary surfactant itself is present at from about 1% to about 30%. It has been surprisingly discovered that such detergent compositions comprising these mixtures of taurate and sarcosinate surfactants are mild and exhibit unexpected volumes of lather possessing unexpected creaminess and silky skin feel as compared to compositions comprising only one or the other of these surfactants.

As used herein, unless otherwise stated, all ratios are by weight and all percentages are by weight of the composition.

### DETAILED DESCRIPTION OF THE INVENTION


While this specification concludes with claims particularly pointing out and distinctly claiming the present invention, it is believed that the invention can be more readily understood from a reading of the following detailed description and the appended nonlimiting claims.

The liquid detergent composition comprises at least one taurate surfactant, at least one sarcosinate surfactant, and an auxiliary surfactant.

The essential components of the present invention are discussed in the following paragraphs.

#### Taurate Surfactants


The taurate surfactants useful in the present invention are the salts of fatty acid amides of N-methyltaurine. They conform generally to the structural formula:



where  $\text{R}-\text{C}-$  represents a fatty acid radical and M represents sodium, potassium, ammonium, or triethanolamine. Fatty acids having carbon chain lengths of from about 10 to about 20, including those derived from coconut, palm and tall oil, can be used. Preferably, the fatty acid is derived from coconut. Preferably, sodium salts are used. The most preferred taurate is sodium methyl cocoyl taurate. This taurate surfactant is sold under the trademark Igepon TC-42 by GAF Corporation of New York, New York. The taurate surfactant is preferably present at from about 0.5% to about 10% of the detergent composition.

#### Sarcosinate Surfactants

The sarcosinate surfactants useful in the present invention are N-acyl sarcosinates which are salts of condensation products of fatty acids with sarcosine. They conform generally to the structural formula:



where, as above,  $\text{R}-\text{C}-$  represents a fatty acid radical and M represents sodium, potassium, ammonium, or triethanolamine. Fatty acids having carbon chain lengths of from about 10 to about 20, including those derived from coconut, palm, and tall oil, can be used. Preferably, the fatty acid is lauric acid. Preferably, sodium salts are used. The most preferred sarcosinate is sodium lauroyl sarcosinate. This sarcosinate surfactant is sold under the trademarks Hamposyl L-30 and Hamposyl L-95 by W. R. Grace & Co. of Lexington, Maine. The sarcosinate surfactant is preferably present at from about 0.5% to about 10% of the detergent composition.

The taurate and sarcosinate surfactants are present in the composition at such levels that the weight ratio of taurate to sarcosinate is from about 1:3 to about 3:1.

#### Auxiliary Surfactant

The auxiliary surfactant can be any of the various surfactants commonly used in liquid detergent compositions designed for personal care uses. The present invention is exploited to its fullest when the auxiliary surfactant is a low lathering material. Especially preferred are the salts of sulfate esters of the polyethylene glycol ethers of fatty alcohols; these materials have the general structural formula:



In this formula, R' represents the fatty alcohol moiety; M represents, as before, sodium, potassium, ammonium, or triethanolamine; and n is a number between 1 and about 15. Preferably, the fatty alcohol is lauric alcohol. Preferably, M is sodium. Preferably, n is between 1 and 4 with an average value of n of 3 being particularly preferred. An especially preferred auxiliary surfactant is sodium laureth sulfate.

Also preferred are alkyl sulfate surfactants. These materials have the following general structural formula:



As before, R' represents a fatty alcohol moiety and M represents sodium, potassium, ammonium, or triethanolamine. Fatty alcohols having carbon chain lengths of from about 10 to about 20, including those derived from coconut, palm oil and tall oil, can be used. Preferably, the fatty alcohol is lauryl alcohol. Preferably, sodium salts are used. The most preferred alkyl sulfate is sodium lauryl sulfate.

Another class of materials suitable for use as auxiliary surfactants are the monoalkyl phosphate surfactants. A preferred member of this class is sodium dodecyl phosphate.

Mixtures of auxiliary surfactants can be used.

Preferably, the the auxiliary surfactant is present at a level of from about 1% to about 30%.

#### Water

Water is a necessary component of the present invention. The water is preferably deionized and is preferably used at levels of from about 60% to about 98%.

#### Optional Components

The compositions herein can contain a variety of non-essential optional components suitable for rendering such compositions more acceptable to consumers. Such conventional optional ingredients are well known to those skilled in the art. They include preservatives such as benzyl alcohol, methyl paraben, propyl paraben, and imidazolidinyl

urea; thickeners and viscosity modifiers such as the diethanolamide of long chain fatty acids (e.g., PEG-3 lauramide), block polymers of ethylene oxide and propylene oxide (such as Pluronic F-88 offered by BASF Wyandotte of Wyandotte, Michigan), sodium chloride, sodium sulfate, polyvinyl alcohol, and ethyl alcohol; pH adjusting agents such as citric acid, succinic acid, phosphoric acid, sodium hydroxide, sodium carbonate, etc.; silicone fluids; perfumes; dyes; hydrotropes such as ammonium xylene sulfonate and potassium toluene sulfonate; sequestering agents such as disodium ethylenediamine tetraacetate; lather modifiers such as coconut monoethanolamide; any of the various deodorant systems used in personal care products, such as triclocarban (TCC) and triclosan (Irgasan DP-300); and polymers such as polyquaternium-10 (UCARE Polymer JR-400 as made by Union Carbide Corporation of Danbury, Connecticut), hydroxypropyl guar (Jaguar HP-60 as made by Celanese Plastics and Specialties Company of Louisville Kentucky), guar hydroxypropyltrimonium chloride (Jaguar C-14S), polyquaternium-7 (Merquat 550 as made by Merck & Company, Inc. of Rahway, New Jersey), and hydroxyethylcellulose. Such optional components are used individually at levels of from about 0.01% to about 10%, preferably from about 0.1% to about 5% by weight of the composition.

The pH of the present composition is not critical, but generally is in the range of from about 4 to about 8.

#### Methods and Manufacture

Any convenient method of manufacture as is commonly used in the industry, such as mixing the ingredients in a simple batch operation, can be used.

#### Form of Product

The compositions of this invention are usually supplied as pourable liquids in containers ready for use by consumers. In this situation, the consumer dispenses the liquid as a liquid from the container and uses it with water to clean his or her hands, body, or hair.

Optionally, the compositions can be supplied as aerosol products as well known by those skilled in the art. In this particular situation, the product is dispensed as a foam and is then used by the consumer with water to clean his or her hands, body, or hair. In aerosol products, the taurate and sarcosinate surfactants are each preferably present at from about 0.1% to about 7.5% and the auxiliary surfactant at from about 1% to about 20%; the total

surfactant present is preferably present at from about 2% to about 30% of the composition. The above noted ratio of taurate surfactant to sarcosinate surfactant must be maintained. Water preferably comprises from about 70% to about 98% of the composition. These aerosol products also incorporate any of the various propellents, (such as hydrocarbons, fluorocarbons, nitrous oxide, etc.) well known to those skilled in the art.

Optionally, the compositions can be supplied as pastes as well known to those skilled in the art. In this particular situation, the product is dispensed, as from a tube, and used by the consumers in a manner similar to a liquid product to clean his or her hands, body, or hair. In paste products, the taurate and sarcosinate surfactants are each preferably present at from about 1% to about 20% and the auxiliary surfactant at from about 3% to about 50%; the total surfactant present is preferably present at from about 5% to about 70% of the composition. The above noted ratio of taurate surfactant to sarcosinate surfactant must be maintained. Water preferably comprises from about 30% to about 95% of the paste detergent composition.

The following example is presented by way of illustration and not by way of limitation.

30	EXAMPLE Sodium laureth sulfate	10.00%
	Sodium methyl cocoyl taurate	1.8
	Sodium lauroyl sarcosinate	2.25
	Coconut monoethanolamide	4.00
	Opacifier	1.00
35	Citric Acid	0.25
	EDTA	0.1
	Irgasan DP-300	0.3
	TCC	0.15
	Dye	0.01
40	UCARE JR-400	0.75
	NaCl	0.3
	Perfume	0.12
	Glycerine	1.0
	Water	qs100

The various components are mixed to form a liquid detergent composition. When this composition is used by a human consumer as a hand cleansing product, it cleans the user's hands in an efficient manner and, during use, produces a high volume of extraordinarily creamy lather.

## Claims

1. A liquid detergent composition comprising:  
(a) at least one taurate surfactant;  
(b) at least one sarcosinate surfactant; and  
(c) from 1% to 30% by weight of at least one auxiliary surfactant;

wherein the weight ratio of said taurate surfactant to said sarcosinate surfactant is from 1:3 to 3:1 and wherein the total level of surfactant present is from 2% to 40% by weight.

2. A detergent composition according to Claim 1 wherein the level of said taurate is from 0.5% to 10% by weight.

3. A detergent composition according to Claim 1 or 2 wherein the level of said sarcosinate is from 0.5% to 10% by weight.

4. A detergent composition according to any of Claims 1 to 3 wherein said taurate is sodium methyl cocoyl taurate.

5. A detergent composition according to any of Claims 1 to 4 wherein said sarcosinate is sodium lauroyl sarcosinate.

6. A detergent composition according to any of Claims 1 to 5 wherein said auxiliary surfactant is selected from salts of sulfate esters of polyethylene glycol ethers of fatty alcohols; alkyl sulfate surfactants, and mixtures thereof.

7. A liquid detergent composition comprising:  
(a) from 0.5% to 10% by weight of sodium methyl cocoyl taurate;

- (b) from 0.5% to 10% by weight of sodium lauroyl sarcosinate; and

- (c) from 1% to 30% by weight of sodium laureth sulfate;

wherein the weight ratio of said taurate to said sarcosinate is from 1:3 to 3:1 and wherein the total level of surfactant present is from 2% to 40% by weight.

8. An aerosol detergent composition comprising:

- (a) from 0.1% to 7.5% by weight of at least one taurate surfactant;

- (b) from 0.1% to 7.5% by weight of at least one sarcosinate surfactant; and

- (c) from 1% to 20% by weight of at least one auxiliary surfactant;

wherein the weight ratio of said taurate surfactant to said sarcosinate surfactant is from 1:3 to 3:1 and wherein the total level of surfactant present is from 2% to 30% by weight.

9. A paste detergent composition comprising:

- (a) from 1% to 20% by weight of at least one taurate surfactant;

- (b) from 1% to 20% by weight of at least one sarcosinate surfactant; and

- (c) from 3% to 50% by weight of at least one auxiliary surfactant;

wherein the weight ratio of said taurate surfactant to said sarcosinate surfactant is from 1:3 to 3:1 and wherein the total level of surfactant present is from 5% to 70% by weight.



European Patent  
Office

# EUROPEAN SEARCH REPORT

Application Number

EP 87 30 6046

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl.4)
X	US-A-3 766 068 (TESDAHL et al.) * Whole document *	1-5,9	A 61 K 7/50 A 61 K 7/08 C 11 D 1/10 C 11 D 1/37 C 11 D 1/28 C 11 D 1/94
X	EP-A-0 081 691 (HOECHST) * Example 5A *	1-5,9	
X	EP-A-0 075 906 (HOECHST) * Example 5 *	1-5,9	
Y	EP-A-0 068 352 (HOECHST) * Claims 1,2 *	1-7,9	
Y	GB-A-1 466 560 (JEYES GROUP LTD) * Whole document *	1-7,9	
Y	GB-A- 751 273 (UNILEVER) * Whole document *	1-7,9	
			TECHNICAL FIELDS SEARCHED (Int. Cl.4)
			A 61 K C 11 D
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 23-11-1987	Examiner FISCHER J.P.
CATEGORY OF CITED DOCUMENTS			
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	